
7 1 - 0

RAW SEQUENCE LISTING ERROR REPORT





The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/746,37/Source: 0/PEDate Processed by STIC: 1/10/200/

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin30help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER VERSION 3.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

hle Yquence Listing ENTERED DUE: QOAPO/ EOL: QOAVO/

RECEIVED

Checker Version 3.0 can be down loaded from the USPTO website at the following address: B 2 6 2001

http://www.uspto.gov/web/offices/pac/checker Q7FEOICAII

COOLEY GODWARD LLP

ERROR DETECTED SUGGESTED CORRECTION

SERIAL NUMBER: <u>09/746,</u>37/

1	Wrapped Nucleics	The number/text at the end of each line "wrapped" down to the next line.
• • • • • •	- 16 March 19 10 10 10 10 10 10 10 10 10 10 10 10 10	This may occur if your file was retrieved in a word processor after creating it.
		Please adjust your right margin to .3, as this will prevent "wrapping".
2	Wrapped Aminos	The amino acid number/text at the end of each line "wrapped" down to the next line.
		This may occur if your file was retrieved in a word processor after creating it.
	***	Please adjust your right margin to .3, as this will prevent "wrapping".
3	Incorrect Line Length	The rules require that a line not exceed 72 characters in length. This includes spaces.
4	Misaligned Amino Acid	The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs
	Numbering	between the numbering. It is recommended to delete any tabs and use spacing between the numbers.
5	_ Non-ASCII	This file was not saved in ASCII (DOS) text, as required by the Sequence Rules.
		Please ensure your subsequent submission is saved in ASCII text so that it can be processed.
6	Variable Length	Sequence(s) contain n's or Xaa's which represented more than one residue.
	- , '	As per the rules, each n or Xaa can only represent a single residue.
	-	Please present the maximum number of each residue having variable length and
		indicate in the (ix) feature section that some may be missing.
7	Patentin ver. 2.0 "bug"	A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid
		sequence(s) Normally, Patentin would automatically generate this section from the
		previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section
		to the subsequent amino acid sequence. This applies primarily to the mandatory <220> <223>
		sections for Artificial or Unknown sequences.
8	Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please use the following format for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X:
	•	(i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS")
		(xi) SEQUENCE DESCRIPTION:SEQ ID NO:X:
		This sequence is intentionally skipped
		Please also adjust the "(iii) NUMBER OF SEQUENCES:" response to include the skipped sequence(s).
9	Skipped Sequences	Sequence(s) missing. If intentional, please use the following format for each skipped sequence.
	(NEW RULES)	<210> sequence id number
		<400> sequence id number
		000
10	Use of n's or Xaa's	Use of n's and/or Xaa's have been detected in the Sequence Listing.
	(NEW RULES)	Use of <220> to <223> is MANDATORY if n's or Xaa's are present.
	,	In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
11	Use of <213>Organism	Sequence(s) are missing this mandatory field or its response.
	(NEW RULES)	
13		
12	Use of <220>Feature	Sequence(s) are missing the <220>Feature and associated headings.
	(NEW RULES)	Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial" or "Unknown"
	→ /	Please explain source of genetic material in <220> to <223> section.
	/ ((See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of new Rules)
13	Patentin ver. 2.0 "bug"	Please do not use "Copy to Disk" function of Patentin version 2.0. This causes a corrupted
	Dimensión.	file, TeStilling in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing).

Instead, please use "File Manager" or any other means to copy file to floppy disk.

OIPE

```
Does Not Comply
                      PATENT APPLICATION: US/09/746,371
                                                                 TIME: 11:48:28
                                           3.0 global per 1.823 of new Sequence Rules, the only valid response are! Unknown or

Artific. 1.7
                                                                                              Corrected Diskette Needed
                      Input Set : A:\Ber1025-01US.txt
                      Output Set: N:\CRF3\01102001\I746371.raw
      3 <110> APPLICANT: Ucry, Dan
       5 <120> TITLE OF INVENTION: Acoustic Absorption Polymers and Their Methods of Use
       7 <130> FILE REFERENCE: BERL025/01US
9 <140> CURRENT APPLICATION NUMBER: US/09/746,371
      9 <141> CURRENT FILING DATE: 2000-12-20
      9 <160> NUMBER OF SEQ ID NOS: 47
     11 <170> SOFTWARE: PatentIn version 3.0
     13 <210> SEQ ID NO: 1
     14 <211> LENGTH: 5
     15 <212> TYPE: PRT
     16 <213> ORGANISM: Synthetic
     18 <400> SEQUENCE:
     20 Val Pro Gly Val Gly
     21 1
     23 <210> SEQ ID NO: 2
     24 <211> LENGTH: 4
     25 <212> TYPE: PRT
     26 <213> ORGANISM: (Synthet
     28 <400> SEQUENCE:
                                                                              (benus/species)

(one of the three)

please see circled portion of them 12 portion of them 12 on Even Summary Sheet
     30 Val Pro Gly Gly
     31 1
     33 <210> SEQ ID NO: 3
     34 <211> LENGTH: 4
     35 <212> TYPE: PRT
     36 <213> ORGANISM Synthetic
     38 <400> SEQUENCE:
     40 Gly Gly Val Pro
     41 1.
     43 <210> SEQ TD NO: 4
     44 <211> LENGTH: 4
     45 <212> TYPE: PRT
     46 <213> ORGANISM: Syntheti
     48 <400> SEQUENCE:
     50 Gly Gly Phe Pro
     51 1
     53 <210> SEQ ID NO: 5
     54 <211> LENGTH: 4
     55 <21.2> TYPE: PRT
     56 <213> ORGANISM: Synthetic
     58 <400> SEQUENCE:
     60 Gly Gly Ala Pro
     61 1
     63 <210> SEQ ID NO: 6
     64 <211> LENGTH: 5
     65 <212> TYPE: PRT
     66 <213> ORGANISM: Synthetic
```

DATE: 01/10/2001

RAW SEQUENCE LISTING

68 <220> FEATURE:

```
PATENT APPLICATION: US/09/746,371
                                                                TIME: 11:48:28
                     Input Set : A:\Ber1025-01US.txt
                     Output Set: N:\CRF3\01102001\I746371.raw
     69 <221> NAME/KEY: VARIANT
     70 <222> LOCATION: (2)..(4)
     71 <223> OTHER INFORMATION: the residue at position 2 can be V, E, F, Y or K; the residue at
             position 4 can be V, E, F or what?
75 <400> SEQUENCE: 6
W--> 77 Gly Xaa Gly Xaa Pro
     78 1
     80 <210> SEQ ID NO: 7
     81 <211> LENGTH: 6
     82 <212> TYPE: PRT
     83 <213> ORGANISM Synthetic
85 <400> SEQUENCE: 7
     87 Ala Pro Gly Val Gly Val
     88 1
     90 <210> SEQ 1D NO: 8
     91 <211> LENGTH: 35
     92 <212> TYPE: PRT
     93 <213> ORGANISM Synthetic
95 <400> SEQUENCE: B
     95 <400> SEQUENCE:
     97 Gly Val Gly Val Pro Gly Val Gly Phe Pro Gly Glu Gly Phe Pro Gly
                        5
                                             10
                                                                  15
     100 Val Gly Val Pro Gly Val Gly Phe Pro Gly Phe Gly Phe Pro Gly Val
     101
                     20
     103 Gly Val Pro
     104
                 35
     106 -210> SEQ TD NO: 9
     107 <211> LENGTH: 35
     108 <212> TYPE: PRT
     109 <213> ORGANISM: Synthetic
     111 <400> SEQUENCE:
                         1
     113 Gly Val Gly Val Pro Gly Val Gly Phe Pro Gly Glu Gly Phe Pro Gly
                                             10
     116 Val Gly Val Pro Gly Val Gly Phe Pro Gly Val Gly Phe Pro Gly Val
     117
                     20
                                          25
     119 Gly Val Pro
     1.20
                 35
     122 <210> SEQ ID NO: 10
     123 <211> LENGTH: 35
     124 <21.2> TYPE: PRT
     1.25 <21.3> ORGANISM Synthetic
     127 <400> SEQUENCE: 10
     129 Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Glu Gly Val Pro Gly
     130 1
                                              1.0
                                                                    15
     132 Val Gly Val Pro Gly Val Gly Phe Pro Gly Phe Gly Phe Pro Gly Val
     1.33
                  20
     135 Gly Val Pro
     136
                35
     138 <210> SEQ ID NO: 11
     139 <211> LENGTH: 35
```

RAW SEQUENCE LISTING

DATE: 01/10/2001

DATE: 01/10/2001

PATENT APPLICATION: US/09/746,371 TIME: 11:48:28 Input Set : A:\Ber1025-01US.txt Output Set: N:\CRF3\01102001\I746371.raw 140 <212> TYPE: PRT 141 <213> ORGANISH Synthetic 143 <400> SEQUENCE: 11 145 Gly Val Gly Val Pro Gly Val Gly Phe Pro Gly Glu Gly Phe Pro Gly 146 1 148 Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val 25 149 20 151 Gly Val Pro 35 152 154 <210> SEO ID NO: 12 155 <211> LENGTH: 35 156 <212> TYPE: PRT 157 <213> ORGANIS(1: Synthetic 159 <400> SEQUENCE: 161 Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Glu Gly Val Pro Gly 10 164 Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val 20 165 167 Gly Val Pro 168 35 170 <210> SEQ ID NO: 13 171 <211> LENGTH: 65 172 <212> TYPE: PRT 173 <213> ORGANISM Synthetic 175 <400> SEQUENCE: 13 177 Gly Val Gly Ile Pro Gly Phe Gly Glu Pro Gly Glu Gly Phe Pro Gly 10 178 1 180 Val Gly Val Pro Gly Phe Gly Phe Pro Gly Phe Gly Ile Pro Gly Val 20 25 30 183 Gly Ile Pro Gly Phe Gly Glu Pro Gly Glu Gly Phe Pro Gly Val Gly 40 45 184 35 186 Val Pro Gly Phe Gly Phe Pro Gly Phe Gly Tle Pro Gly Val Gly Val 187 55 189 Pro 190 65 192 <210> SEQ ID NO: 14 193 <211> LENGTH: 35 194 <212> TYPE: PRT 195.<213> ORGANISM Synthetic 197 <400> SEQUENCE: 199 Gly Val Gly Val Pro Gly Val Gly Phe Pro Gly Lys Gly Phe Pro Gly 10 202 Val Gly Val Pro Gly Val Gly Phe Pro Gly Phe Gly Phe Pro Gly Val 203 20 205 Gly Val Pro 206 35

RAW SEQUENCE LISTING

208 <210> SEQ ID NO: 15 209 <211> LENGTH: 35 210 <212> TYPE: PRT RAW SEQUENCE LISTING DATE: 01/10/2001 PATENT APPLICATION: US/09/746,371 TIME: 11:48:28

Input Set : A:\Ber1025-01US.txt
Output Set: N:\CRF3\01102001\1746371.raw

```
211 <213> ORGANISM Synthetic
213 <400> SEQUENCE: ±5
215 Gly Val Gly Val Pro Gly Val Gly Phe Pro Gly Lys Gly Phe Pro Gly
                                         1.0
216 1
                     5
218 Val Gl/ Val Pro Gl/ Val Gl/ Phe Pro Gly Val Gly Phe Pro Gly Val
219
                20
                                      25
221 Gly Val Pro
222
            35
224 <210> SEQ 1D NO: 16
225 <211> LENGTH: 35
226 <212> TYPE: PRT
227 <213> ORGANTSM Synthetic
229 <400> SEQUENCE: 16
231 Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly
                    5
                                          10
234 Val Gly Val Pro Gly Val Gly Phe Pro Gly Phe Gly Phe Pro Gly Val
235
         20
237 Gly Val Pro
238
            35
240 <210> SEO ID NO: 17
241 <211> TENGTH: 35
242 <212> TYPE: PRT
243 <213> ORGANISM Synthetic
245 <400> .SEQUENCE: 17
247 Gly Val Gly Val Pro Gly Val Gly Phe Pro Gly Lys Gly Phe Pro Gly
                    5
                                         1.0
248 1
250 Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val
             20
                                      25
253 Gly Val Pro
            35
254
256 <210> SEQ TD NO: 18
257 <211> LENGTH: 35
258 <212> TYPE: PRT
259 <213> ORGANISM: Synthetic
261 <400> SEQUENCE: 18
263 Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly
                     5
                                          1.0
266 Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val
                20
267
269 Gly Val Pro
            35
272 <210> SEQ ID NO: 19
273 <211> LENGTH: 35
274 <21.2> TYPE: PRT
275 <213> ORGANISM: Synthetic
277 <400> SEQUENCE: 19
277 <400> SEQUENCE:
279 Gly Val Gly Val Pro Gly Val Gly Phe Pro Gly Glu Gly Phe Pro Gly
                                         1.0
280 1
282 Val Gly Val Pro Gly Val Gly Phe Pro Gly Lys Gly Val Pro Gly Val
```

```
TIME: 11:48:28
                    PATENT APPLICATION: US/09/746,371
                    Input Set : A:\Ber1025-01US.txt
                    Output Set: N:\CRF3\01102001\1746371.raw
                                                            30 .
                                        25
    285 Gly Val Pro
    286
                35
    288 <210> SEQ 1D NO: 20
    289 <211> LENGTH: 35
    290 <212> TYPE: PRT
    291 <213> ORGANISM Synthetic
    293 <400> SEQUENCE:
                        20
    295 Gly Val Gly Val Pro Gly Val Gly Phe Pro Gly Glu Gly Phe Pro Gly
    296 1
    298 Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val
                    20
                                        25
     301 Gly Val Pro
    302
                35
    304 <210> SEQ ID NO: 21
    305 <211> LENGTH: 5
    306 <212> TYPE: PRT
    307 <213> ORGANISM: Synthetic
    309 <220> FEATURE:
    310 <221> NAME/KEY: VARIANT
    311 <222> LOCATION: (4)..(4)
    312 <223> OTHER INFORMATION: the residue at position 4 is an amino acid residue modified to ha
              ve an electroresponsive side chai
    313
                                                  chain/
    316 <400> SEQUENCE: 21
318 Val Pro Gly Xaa Gly
     319 1
    321 <210> SEQ ID NO: 22
    322 <211> LENGTH: 5
    323 <212> TYPE: PRT
    324 <213> ORGANISM: Synthetic
    326 <400> SEQUENCE: 22
    328 Ile Pro Gly Val Gly
    329 1
    331 <210> SEQ ID NO: 23
    332 <211> LENGTH: 11
    333 <212> TYPE: PRT
    334 <213> ORGANISM Synthetic
    336 <220> FEATURE:
    337 <221> NAME/KEY: VARIANT
    338 <222> LOCATION: (6)..(6)
     339 <223> OTHER INFORMATION: the residue at position 6 is S, T or Y
    342 <400> SEQUENCE: 23
 -> 344 Gly Val Gly Val Pro Xaa Gly Val Gly Val Pro
     345 1
                                     flesse correct this error in subsequent
sequences, too.
    347 <210> SEQ ID NO: 24
    348 <211> LENGTH: 5
    349 <212> TYPE: PRT
    350 <213> ORGANISM/
                        Synthetic
    352 <220> FEATURE:
```

DATE: 01/10/2001

RAW SEQUENCE LISTING

FYI:

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields f each sequence which presents at least one n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/746,371

DATE: 01/10/2001 TIME: 11:48:29

Input Set : A:\Ber1025-01US.txt

Output Set: N:\CRF3\01102001\1746371.raw

L:9 M:270 C: Current Application Number differs, Replaced Current Application No

L:9 M:270 C: Current Application Number differs, Replaced Current Filing Date
L:9 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:77 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:318 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21
L:344 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23
L:362 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24